

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

P
2-87p.1

THE PLANT DISEASE REPORTER

Issued By


THE PLANT DISEASE SURVEY

Division of Mycology and Disease Survey

BUREAU OF PLANT INDUSTRY, SOILS, AND AGRICULTURAL ENGINEERING

AGRICULTURAL RESEARCH ADMINISTRATION

UNITED STATES DEPARTMENT OF AGRICULTURE



SUPPLEMENT 166


INDEX TO SUPPLEMENTS 161-165, 1946

Supplement 166

Issued May 15, 1947



The Plant Disease Reporter is issued as a service to plant pathologists throughout the United States. It contains reports, summaries, observations, and comments submitted voluntarily by qualified observers. These reports often are in the form of suggestions, queries, and opinions, frequently purely tentative, offered for consideration or discussion rather than as matters of established fact. In accepting and publishing this material the Division of Mycology and Disease Survey serves merely as an informational clearing house. It does not assume responsibility for the subject matter.



PLANT DISEASE REPORTER SUPPLEMENT

Issued by

THE PLANT DISEASE SURVEY
DIVISION OF MYCOLOGY AND DISEASE SURVEY

Plant Industry Station

Beltsville, Maryland

INDEX TO PLANT DISEASE REPORTER
SUPPLEMENTS 161-165, 1946

Compiled by Nellie Ward Nance

Plant Disease Reporter
Supplement 166

Index to Supplements
1946

LIST OF SUPPLEMENTS

Supplement 161. Studies on vegetable seed treatments in 1944. pp. 1-66. June 1, 1946.

Report of the Vegetable Seed Treatment Sub-Committee of the Seed Treatment Committee of the American Phytopathological Society, C. M. Haenseler, Chairman. Reports compiled by various authors; see its table of contents, and author index below.

Supplement 162. A contribution to the fungus flora of Utah and Nevada. pp. 67-99. June 15, 1946. By Arthur S. Rhoads

Fungi listed alphabetically under Phycomycetes, Ascomycetes, etc. Only host and fungus genera listed in the following index.

Supplement 163. Rootrots and leafspots of grains and grasses in the Northern Great Plains and Western States. pp. 101-268. June 15, 1946. By Roderick Sprague.

Contains its own host index, p. 258, and fungus index, p. 263. Only fungus genera listed below. State references in subject index do not include pages from this supplement.

Supplement 164. Late blight on potato and tomato in 1946. pp. 269-296. July 15, 1946.

Reports by various authors; see author index

Supplement 165. The 1946 epiphytotic of late blight on tomato. pp. 297-345. November 15, 1946.

Reports by various authors; see its table of contents, and author index below.

Supplement 166. INDEX to Supplements 161 to 165. pp. 347-353.
(Issued May 15, 1947)

AUTHOR INDEX

- | | | | |
|------------------------------|---------------|-----------------------------|------------------|
| ANDES, J. O. | 277, 307 | LEACH, L. D. | 6 |
| BARNETT, H. L. | 287, 315 | LINN, M. B. | 294, 335 |
| BEECHER, F. S. | (15), (59) | MILLER, JULIAN H. | 278 |
| BOEWE, G. H. | 293, 334 | NEWHALL, A. G. | 25 |
| BOYD, O. C. | 327, 341 | PARRIS, G. K. | 20, 45 |
| BROWN, J. G. | 340 | PERSON, L. H. | 274, 305 |
| BUCHHOLTZ, W. F. | 337 | PORTER, R. H. | 42 |
| BURKE, O. D. | (344) | PRESLEY, JOHN T. | 275, 306 |
| CHESTER, K. STARR | 339 | REINKING, OTTO A. | 288, 324 |
| CHUPP, CHARLES | 287 | RHOADS, ARTHUR S. | 67 |
| COOK, HAROLD T. | 282, 314 | RICHARDS, M. C. | 328 |
| COX, C. E. | 284, (316) | SAMSON, R. W. | 291, 332 |
| DAVIDSON, RICHARD S. | 326 | SCHROEDER, W. T. | 31, (288), (324) |
| DAVIS, B. H. | 11, 52, (322) | SEAL, J. L. | (309) |
| DOOLITTLE, S. P. | 15, 59 | SHERF, ARDEN F. | 339 |
| ELLIS, D. E. | 281, 312 | SPRAGUE, RODERICK | 101 |
| EPPS, WILLIAM M. | 280, 310 | STAKMAN, E. C. | 336 |
| FENNE, S. B. | 283, 313 | STARK, F. C. | (316) |
| FOLSOM, DONALD | 295, 329 | THOMAS, W. D., Jr. | 338 |
| GARDNER, M. W. | 296 | TISDALE, W. B. | 307 |
| GARRISS, H. R. | 281, 313 | TUCKER, C. M. | 338 |
| HAENSELER, C. M. | 2, 286, 322 | VALLEAU, W. D. | 306 |
| HARRIS, M. R. | 338 | VAUGHAN, EDWARD K. | 308 |
| HEUBERGER, J. W. | 285, 319 | VAUGHAN, R. E. | 295, 336 |
| HIGGINS, B. B. | 279 | WEAVER, L. O. | 344 |
| HORSFALL, J. G. | 326 | WILSON, COYT | 275, 309 |
| HUNGERFORD, C. W. | 340 | WOODS, M. W. | (284) |
| JEHLE, R. A. | (284), 316 | YOUNG, H. C. | 290, 330 |
| JENSEN, J. H. | 282 | YOUNG, P. A. | 340 |
| KING, T. H. | 291, 331 | YOUNG, V. H. | 339 |
| KIRBY, R. S. | 289, 318 | | |

SUBJECT INDEX

- Abies: 68, 83, 94, 95, 96
 Acer: 68, 72, 95, 98, 99
 Achillea: 88
 Actinea: 87
 Agaricus, 93
 Agastache: 73
 Agoseris: 87
 Agropyron: 90
 Airplane dusting, of potato, 276,
 282; tomato 292, 302
 Alabama, 275, 309
 Albugo, 68
 Alnus: 71, 72
 Alternaria, 172, 200
 Althea: 88
 Amelanchier: 71, 79
 Anasopora, 173
 Aphanomyces, 105, 189
 Aquilegia: 70
 Arabis: 87, 88, 89
 Arasan, 6, 11, 15, 20, 25, 30,
 31, 42, 45, 52, 59
 Arctium: 85
 Arizona, 340
 Arkansas, 339
 Artemisia: 69, 71, 73, 74, 84
 Ascospora, 138
 Ascochyta, 120 ff., 127, 155,
 158, 160, 163; key to spp.,
 121
 Ascochytaella, 120, 121, 126
 Ascochyta, 120, 121, 123, 126
 Ascomycetes, 68, 102, 103, 111
 Aster: 69

 Baccharis: 86
 Balsamorhiza: 84
 Barbak C, 52
 Basidiomycetes, 93, 102, 103,
 116, 119
 Basisporium, 207
 Beet: seed treatment studies, 6
 Betula: 96
 Bordeaux, 278, 282, 283, 284,
 289, 290, 291, 294, 296, 301,
 302
 Brachycladium, 199, 200
 Brachysporium, 195, 199
 Brodiaea: 89
 Bromus: 92

 California, 296
 Calochortus: 85
 Calonectria, 185
 Camelina: 68
 Carex: 84, 85
 Carrot: seed treatment studies,
 11
 Cephalosporium, 173
 Cercocarpus: 71
 Cercospora, 153, 173, 174, 175,
 176, 212
 Cercospora, 112, 167, 176, 177,
 178, 183, 188; key to spp., 176
 Cereals and grasses: root rots
 and leaf spots in Northern
 Great Plains and Western States,
 101-268
 Ceresan, 6
 ---, New Improved, 15, 59
 Chrysanthemum: 74, 86
 Cirsium: 69, 85
 Cladosporium, 113, 114, 178
 Clematis: 70, 90, 98
 Colletotrichum, 137, 168, 169
 Colorado, 338
 Coniothyrium, 126
 Connecticut, 326
 Contribution to the fungus flora
 of Utah and Nevada, Suppl. 162,
 pp. 67-99
 Copper dusts and sprays, 277, 279,
 280, 281, 282, 283, 284, 286,
 289, 290, 291, 294, 301, 302
 Coprinus, 93
 Corn, sweet: seed treatment
 studies, 52
 Cornus: 72
 Corticium, 116, 117
 Crataegus: 75, 76
 Crepis: 87
 Cronartium, 75
 Crucibulum, 93
 Cryptosporium, 97

- Cucumber: seed treatment studies, 15
 Cucurbitaria, 68
 Cumminsella, 75
 Curvularia, 178, 179, 180, 193, 195, 199, 200
 Cylindrosporium, 97, 150
 Cynoglossum, 69

 Darluca filum, 125
 Dasyscypha, 68, 69
 Davisella, 171
 Delaware, 285, 319
 Delphinium, 70
 Dibotryon morbosum, 69
 Dilophia, 126
 Dilophospora, 126
 Diplodia, 127
 Diplodina, 120, 121, 124, 127
 Discina, 69
 Distichlis, 84, 93
 Dithane, 274, 276, 282, 285, 286, 290, 301
 Dothichloë, 111
 Dothidella, 112, 171

 Elymus, 90
 Entyloma, 116
 Ephedra, 73, 74, 83
 Epichloë, 112
 Epilobium, 91
 Eriogonum, 92
 Erysiphe, 69, 70
 Eurychasmidium, 106

 Fermate, 25, 30, 42, 45, 302
 Florida, 307
 Fomes, 93, 94
 Formaldehyde, 30
 Fungi Imperfecti, 97, 102, 103, 120
 Fungicides used for tomato late blight control, 301
 Fungus flora of Utah and Nevada, 67
 Fusarium, 112, 171, 172, 180 ff.; key to spp., 181
 Fusoma, 171

 Georgia, 273, 279, 308
 Gibberella, 112, 184, 185
 Gloeosporium, 97, 168, 169
 Glycyrriza, 91
 Grindelia, 70
 Guepinopsis, 94
 Gutierrezia, 86
 Gymnosporangium, 75-82
 Gyromitra, 71

 He 178e, 301
 Helenium, 70, 86
 Helianthus, 70, 87
 Helminthosporium, 115, 127, 172, 179, 180, 183, 189 ff., 197 ff.
 Helotium, 71
 Hendersonia, 125, 127, 164, 167; key to spp., 128
 Heterosporium, 203, 204
 Hilaria, 93
 Hormodendrum, 113
 Hydrophyllum, 90
 Hymenoclea, 90
 Hypochnus, 117
 Hysterographium, 71

 Idaho, 340
 Illinois, 293, 294, 334, 335
 Indiana, 291, 332
 Iowa, 337
 Iris, 88

 Juncus, 92
 Juniperus, 74, 76, 77, 78, 79, 80, 81, 82, 93, 94

 Kentucky, 306

 Lachnellula, 71
 Lasiobotrys, 71
 Late blight on potato and tomato in 1946, Suppl. 164, pp. 269-296
 Late blight, on pepper, 305, ? 324, 333
 ---, on Solanum sarachoides, 296
 ---, on tomato, control by custom spray ring 344; epiphytotic of 1946 297-345; losses 298

- Lathyrus: 91
 Leptosphaeria, 112, 146
 Lettuce: seed treatment studies, 20
 Libocedrus: 79
 Lomatium: 88
 Lophodermium, 71
 Losses from tomato late blight, 298
 Louisiana, 274, 305
 Lycium: 86
 Lygodesmia: 87

 Macrophoma, 130, 153
 Macrophomina, 130
 Mahonia: 75
 Maine, 295, 329
 Malva: 88
 Maryland, 284, 316
 Massachusetts, 327, 341
 Mastigosporium, 126, 171, 205, 206; key to spp., 205
 Medicago: 73, 92
 Melampsora, 82, 83
 Melampsorella, 83
 Melanconiales, 168
 Melanomma, 71
 Mentha: 70, 88
 Microsphaera, 71, 72
 Minnesota, 336
 Mississippi, 275, 306
 Missouri, 338
 Mitella: 87
 Moniliales, 172
 Monilinia, 97
 Mycosphaerella, 72, 113, 114, 138, 178

 Napicladium, 195, 206, 212
 Nebraska, 339
 Nevada, 67
 New Hampshire, 328
 New Jersey, 286, 322
 New York, 287, 288, 324
 Nigrospora, 207
 North Carolina, 281, 282, 312, 313
 Ohio, 290, 291, 330, 331

 Oklahoma, 339
 Onion: seed treatment studies, 25
 Ophiobolus, 114, 189, 197
 Ophiocladium, 207
 Opuntia: 74, 98
 Osmorrhiza: 89
 Ovularia, 98, 207, 208

 Paneolus, 94
 Passalora, 212
 Pea: seed treatment studies, 31
 Pellicularia, 117
 Penicillium, 208, 209
 Pennsylvania, 289, 318, 344
 Pepper: late blight 305, ? 324, 333
 Peridermium, 83
 Phaeoseptoria, 128, 130, 148
 Phlox: 89
 Phlyctaena, 133
 Pholiota, 94
 Phoma, 131, 132, 153, 157, 168
 Phragmidium, 83, 84
 Phycomyces, 68, 102, 103, 105
 Phygon, 301
 Phyllachora, 115, 116, 171
 Phyllactinia, 72
 Phyllosticta, 98, 99, 131, 132, 134, 136, 160; key to spp. on grasses, 131
 Physoderma sp., 203
 Phytophthora, 105, 106
 --- infestans (see also late blight, potato, tomato), on pepper 305, ? 324, 333; Solanum sarachoides 296; tomato and potato in 1946, 269-296; tomato epiphytotic of 1946, 297-345
 --- terrestris, 288
 Picea: 71, 95, 96
 Pinus: 96
 Piricularia, 209
 Plantago: 70
 Platanus: 97
 Pleospora, 214
 Pleurotus, 95
 Podosphaera, 72

- Polemonium: 70
 Polygonum: 70, 89
 Polyporus, 95, 96
 Populus: 71, 72, 74, 82, 93, 94, 95, 96, 97
 Potato and tomato: late blight, 269-296
 Protomyces, 106
 Prunus: 69, 72, 95, 97, 98, 99
 Pseudodiscosia, 169
 Pseudopeziza, 73
 Pseudotsuga: 69, 94, 95
 Puccinia, 84-91, 183
 Pucciniastrum, 91
 Pyrenophora, 115, 190, 199, 201
 Pythium, 10, 107, 108, 109, 110, 111, 189, 195, 196

 Quercus: 72

 Ramularia, 208
 Red copper oxide, 11, 20, 25, 31
 Resistance and susceptibility, of tomato to late blight, 311, 324, 325, 326, 328, 330, 335
 Rhabdospora, 136, 163
 Rhizoctonia, 10, 115, 117, 185, 200
 Rhode Island, 326
 Rhynchosporium, 209, 210
 Rhytisma, 73
 Ribes: 75, 99
 Rootrots and leafspots of grains and grasses in the Northern Great Plains and Western States, Suppl. 163, pp. 101-268; host index p. 258, fungus index p. 263
 Rosa: 83
 Rubus: 83, 84
 Rudbeckia: 70
 Rumex: 98

 Salix: 73, 74, 83
 Sclerotinia, 115, 119
 Sclerotium, 118, 119, 130
 Scolecotrichum, 132, 195, 204, 211, 212, 213

 Seed treatment, effect on plant vitality, 40, 53; protective value against fertilizer injury, 40; studies 1-66
 Selenophoma, 132 ff., 136 ff., 147, 159; key to spp., 132
 Semesan, 11, 15, 20, 25, 59
 --- Jr., 52
 Senecio: 73, 90
 Septogloeum, 112, 170 ff
 Septoria, 98, 99, 113, 118, 122, 124, 125, 133-165, 170; key to grass spp. 139
 Septoriopsis, 159
 Shepherdia: 72, 93
 Solanum sarachoides: late blight, 296
 Sorghum: 92
 South Carolina, 280, 310
 Soybean: seed treatment studies, 42
 Spargon, 11, 15, 20, 25, 31, 42, 52, 59
 Sphacelotheca, 92
 Sphaeropsidales, 120
 Sphaeropsis, 73
 Sphaerotheca, 73
 Spinach: seed treatment studies, 45
 Sporotrichum, 213
 Stagonospora, 125, 147, 148, 150, 151, 153, 154, 155, 163 ff.; key to grass spp. 163
 Stemphylium, 172, 214
 Stephanomeria: 87
 Stropharia, 96
 Studies on vegetable seed treatments in 1944, Suppl. 161, pp. 1-66
 Symphoricarpos: 71, 72, 99
 Syncarpella, 73
 Synchytrium, 106

 Taraxacum: 73, 87
 Teichospora, 74
 Tennessee, 277, 307
 Tetradymia: 97
 Texas, 340
 Thiosan, 30

- Thlaspi: 91
 Thrystroma, 74
 Tomato: late blight 269-296, 297-345; control 301, 302, by airplane dusting 302, by custom spray rings 344; epiphytotic of 1946, 297-345; losses by States 298; var. reaction 311, 324, 325, 326, 328, 330, 335
 ---: *Phytophthora terrestris* 288
 ---: seed treatment studies 59
 Tomato and potato: late blight, 269-296
 Tomato late blight epiphytotic of 1946, Suppl. 165, pp. 297-345
 Trametes, 97
 Trifolium: 92
 Tubercularia, 99
 Typhula, 118, 119, 186
 Uncinula, 74
 Uredinales, 75
 Uromyces, 91, 92
 Ustilaginales, 92
 Ustilago, 92, 93
 Utah, 67
 Vasco 4, 25
 Vegetables: seed treatment studies 1-66; cooperators 4; future plans 2
 Viguiera: 70, 84
 Viola: 91
 Virginia, 282, 283, 313, 314
 Washington, 338
 West Virginia, 289, 315
 Wisconsin, 295, 336
 Wojnowicia, 128, 129, 130, 167
 Wyethia: 85
 Yellow Cuprocide, 6, 15, 59
 Zerlate, 302
 Zinc oxide, 11, 20, 45

